




BDJ EXTENDED

BDJ Extended – a professional machine designed for blowing a wide range of cables. A solid and simple construction ensures easy operation and a longevity of the unit. Machine is equipped with a high quality belt feeder, **pneumatic motors** and a direction switch to change the blowing direction or withdraw the cable from the microduct. Basic version has a mechanical counter meter pre-installed. Upon request we provide an electronic counter meter with a speed measurement function.

Blowing range:

- **Cable diameter** Ø 2,5 mm - 12 mm
- **Duct diameter** Ø 5, 7, 10, 12, 14, 16, 20 mm






BDJ EXTENDED

Available accessories inside the set:

- A set of clamping sleeves for microducts and cable guides;
- A set of gaskets for each cable and microduct size;
- Air hose 3/4" 10m;
- Transport box;
- Handle for carrying the machine;
- A set of calibrating balls;
- Key 13 for closing the head;
- Key 5 for closing the head;
- Prelube 5000;
- Plates calibrating the position of the head;
- Air motor oil - sample;
- Instruction.



TECHNICAL DATA

| | |
|---|--|
| MICRO CABLE DIAMETER | 2,5 mm – 12,0 mm |
| MICRO TUBE DIAMETER | 5 – 20 mm |
| BLOWING DISTANCE / MAX | 2500 m |
| BLOWING SPEED / MAX | 110 m/min |
| WORK PRESSURE / MAX | 15 bar |
| DIMENSIONS OF THE UNIT (L X W X H) | 610 x 300 x 320 mm weight approx. 20 kg |
| DIMENSIONS OF THE TRANSPORT TRUNK | 640 x 390 x 410 mm weight approx. 33 kg |
| AVAILABLE ACCESSORIES | <ul style="list-style-type: none">• set of compression sleeves for microducts,• set of gaskets for each cable size,• air hose with a valve 10 m,• transport box. |
| REQUIRED COMPRESSOR'S EFFICIENCY | <ul style="list-style-type: none">• micro ducts up till 8 mm - 0,8 m³/min• micro ducts 8 - 12 mm - 1,0 m³/min• micro ducts 12-15 mm - 1,5 m³/min• micro ducts 15-20 mm - 3,5 m³/min |

REQUIRED COMPRESSOR: KAESER M17A